Author Index

Allen, S. D., 49
Alterovitz, S. A., 221
Arezzo, F., 235
Aubert, A., 83

Baker, D. M., 245
Bartoe, R. L., 353
Beister, G., 367, 405
Boelens, S., 63
Bolster, R. N., 469
Bonora, P. L., 309
Boxman, R. L., 153
Briones, F., 401
Brown, R., 267
Buckley, D. H., 221
Bunshah, R. F., 1
Burnett, P. J., 191

Caskey, G., 393
Cavalleri, A., 309
Courtright, E. L., 327
Crawmer, D. E., 353
Crousier, J., 309
Cuthrell, R. E., 425

Dallaire, S., 319
Danroc, J., 83
Dearnaley, G., 453
Delafond, J., 479
Deshpandey, C. V., 1
Doerr, H. J., 1
Dreike, P. L., 425

Ebara, R., 301
Eckersley, J. S., 443
Emiliani, M., 267

Fancey, K. S., 17
Fedrizzi, L., 309

Gillet, R., 83
Goldsmith, S., 153
Gregory, O., 267
Grigorescu, I. C., 183
Grilhe, J., 479

Harju, E., 117
Headinger, M. H., 433
Heisig, U., 405
Hichwa, B. P., 393
Hofmann, D., 1

Inspektor-Koren, A., 31

Johnson, P. C., 53
Johnson, R. N., 341
Junqua, N., 479

Kivivuori, S. O. J., 213
Kleppe, R., 443
Kobayashi, T., 301
König, U., 91, 501
Korhonen, A. S., 117, 141
Korndoerfer, Chr., 405
Kramer, J., 353
Kussmaul, M., 511

Lappalainen, R., 117
Levy, A. V., 285

Massiani, Y., 309
Matthews, A., 17, 105
Mattox, D. M., 425
McKechnie, T. M., 245
Mihama, K., 221
Mirtich, M. J., 511
Moine, P., 479
Molarius, J. M., 117
Moore, R. L., 235
Morabito, J. M., 213

Natesan, K., 341

O'Brian, B. P., 1
Odohira, T., 301
Osenius, S., 141

Peeples, C. R., 425
Pimbert, S., 479
Popoola, O., 479
Pouch, J. J., 221
Purdy, M. J., 433

Randhawa, H., 53
Reschke, J., 405
Richman, M. H., 267
Rickerby, D. S., 191

Saint-Jacques, R. G., 319
Schiller, S., 405
Shaapur, F., 49
Singer, I. L., 469, 487
Sliney, H. E., 221, 243
Sproul, W. D., 73, 133
Steinfelder, K., 405
Struempfel, J., 405
Sue, J. A., 169
Sulonen, M. S., 141, 213
Syan, C. S., 105

Troue, H. H., 169

Vardiman, R. G., 469
Veltrop, H., 63
Villain, J. P., 479

Wada, T., 301
Wang, B., 285
Wert, J. J., 245
Wesemeyer, H., 63
Wiiala, U. K., 213
Wolf, G. K., 501

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Acids
study of the behaviour in acidic solution of titanium and TiN coatings obtained by cathodic sputtering, 309
Alloys
tribological behaviour of some alloys after surface modification using ion beam techniques, 479
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267
Aluminium
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti, Al)N coatings, 117
Arcs
cathode-spot arc coatings: physics, deposition and heating rates, and some examples, 153
effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coatings, 169
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63

Balls
a gyro spin axis bearing performance using titanium carbide coated balls, 401
Bearings
a gyro spin axis bearing performance using titanium carbide coated balls, 401
Boron
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates, 221

Carbon
a gyro spin axis bearing performance using titanium carbide coated balls, 401
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
corrosion resistance of chromium carbide coatings in oxygen–sulphur environments, 341
effects of ion implantation in cemented carbides and cobalt alloys, 501
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
optical interference effect in the laser chemical vapour deposition of SiC, 49
plasma-sprayed TiC protective coatings for fusion devices: coating fabrication criteria, 319
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487
the effect of processing parameters on the microstructure and erosion resistance of $NiCr_3C_2$ coatings, 245
Cavitation
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
Chemical vapour deposition
optical interference effect in the laser chemical vapour deposition of SiC, 49
principles of plasma-activated chemical vapour deposition, 31
Chromium
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
corrosion resistance of chromium carbide coatings in oxygen–sulphur environments, 341
the effect of processing parameters

© Elsevier Sequoia/Printed in The Netherlands

on the microstructure and erosion resistance of $NiCr_3C_2$ coatings, 245
Coating
design of a production-scale process for coating composite structures, 433
Cobalt
effects of ion implantation in cemented carbides and cobalt alloys, 501
Composite structures
design of a production-scale process for coating composite structures, 433
Corrosion
corrosion resistance of chromium carbide coatings in oxygen–sulphur environments, 341
erosion–corrosion of protective scales on alloy steels, 285
Cutting
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117

Electrical properties
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
Electron beam evaporation
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
Environments
the need for microstructural control in coatings exposed to severe environments, 327
Erosion
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coatings, 169
erosion–corrosion of protective scales on alloy steels, 285
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267
the effect of processing parameters on the microstructure and erosion resistance of $NiCr_3C_2$ coatings, 245
the wear and erosion resistance of hard PVD coatings, 191
Expert systems
knowledge-based expert systems in surface coating and treatment selection for wear reduction, 105

Film density
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
Friction
coatings for friction and wear control at high temperatures, 243
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
Fusion
plasma-sprayed TiC protective coatings for fusion devices: coating fabrication criteria, 319

Glow discharges
some fundamental aspects of glow discharges in plasma-assisted processes, 17

Hafnium
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63
Hard coatings
deposition and properties of multicomponent hard coatings, 91
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63
the wear and erosion resistance of hard PVD coatings, 191

Inconel 617
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267
Ion beams
developments in ion-assisted coatings, 453

mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates, 221
tribological behaviour of some alloys after surface modification using ion beam techniques, 479
Ion discharges
enhanced thermal emittance of space radiators by ion-discharge chamber texturing, 511
Ion implantation
effects of ion implantation in cemented carbides and cobalt alloys, 501
Ion plating
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117
wear of ion-plated hot-working tools, 213
Ion sources
design and performance of a moveable post-cathode magnetron sputtering system for making PBFA II accelerator ion sources, 425

Lasers
optical interference effect in the laser chemical vapour deposition of SiC, 49

Mechanical behaviour
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487
Metals
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
Microstructure
the effect of processing parameters on the microstructure and erosion resistance of $NiCr_3C_2$ coatings, 245
the need for microstructural control in coatings exposed to severe environments, 327

Nichrome
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
Nickel
the effect of processing parameters on the microstructure and erosion resistance of $NiCr_3C_2$ coatings, 245
Niobium
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63
Nitrogen
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117
effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coatings, 169
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63
mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates, 221
performance of TiN-coated tools in wood cutting, 141
reactive magnetron sputtering of TiN: analysis of the deposition process, 83
study of the behaviour in acidic solution of titanium and TiN coatings obtained by cathodic sputtering, 309
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487
zirconium nitride films prepared by cathodic arc plasma deposition process, 53

Oil
reactions between 52100 steel and

tricresyl phosphate neat and mixed with hydrocarbon oil, 235
Optical properties
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
optical interference effect in the laser chemical vapour deposition of SiC, 49
optical properties of reactively evaporated SiO_x films, 367
Orientation
effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coatings, 169
Oxides
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
optical properties of reactively evaporated SiO_x films, 367
Oxygen
corrosion resistance of chromium carbide coatings in oxygen–sulphur environments, 341

Plasma deposition
plasma diagnostic studies of the activated reactive evaporation process, 1
plasma-sprayed TiC protective coatings for fusion devices: coating fabrication criteria, 319
principles of plasma-activated chemical vapour deposition, 31
some fundamental aspects of glow discharges in plasma-assisted processes, 17
zirconium nitride films prepared by cathodic arc plasma deposition process, 53
Powders
improved universal powder mass flow control for thermal spray applications, 353
Radiators
enhanced thermal emittance of space radiators by ion-discharge chamber texturing, 511
Reactive evaporation
optical properties of reactively evaporated SiO_x films, 367
plasma diagnostic studies of the activated reactive evaporation process, 1
Reliability
new computerized shot peening machines improve reliability of dynamically loaded coated parts, 443

Scales
erosion–corrosion of protective scales on alloy steels, 285
Shot peening
new computerized shot peening machines improve reliability of dynamically loaded coated parts, 443
Silicon
optical interference effect in the laser chemical vapour deposition of SiC, 49
optical properties of reactively evaporated SiO_x films, 367
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487
Sputtering
comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393
cryogenic vacuum pump characteristics in reactive d.c. magnetron sputtering processes, 379
design and performance of a moveable post-cathode magnetron sputtering system for making PBFA II accelerator ion sources, 425
high rate reactive sputtering process control, 73
reactive d.c. high-rate sputtering as production technology, 405

reactive magnetron sputtering of TiN: analysis of the deposition process, 83
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267
study of the behaviour in acidic solution of titanium and TiN coatings obtained by cathodic sputtering, 309
turning tests of high rate reactively sputter-coated T-15 HSS inserts, 133

Steels
erosion–corrosion of protective scales on alloy steels, 285
reactions between 52100 steel and tricresyl phosphate neat and mixed with hydrocarbon oil, 235
turning tests of high rate reactively sputter-coated T-15 HSS inserts, 133

Stoichiometry
comparision of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques, 393

Strength
mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates, 221

Sulphur
corrosion resistance of chromium carbide coatings in oxygen–sulphur environments, 341

Surfaces
knowledge-based expert systems in surface coating and treatment selection for wear reduction, 105
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487
tribological behaviour of some alloys after surface modification using ion beam techniques, 479

Texturing
enhanced thermal emittance of space radiators by ion-discharge chamber texturing, 511

Thermal emittance
enhanced thermal emittance of space radiators by ion-discharge chamber texturing, 511

Thermal spraying
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
improved universal powder mass flow control for thermal spray applications, 353

Titanium
a gyro spin axis bearing performance using titanium carbide coated balls, 401
cavitation-erosion resistance of ion plated Cr–TiN multilayer coating, 301
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coatings, 169
hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation, 63
performance of TiN-coated tools in wood cutting, 141
plasma-sprayed TiC protective coatings for fusion devices: coating fabrication criteria, 319
reactive magnetron sputtering of TiN: analysis of the deposition process, 83
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267
study of the behaviour in acidic solution of titanium and TiN coatings obtained by cathodic sputtering, 309
surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures, 487

Tools
performance of TiN-coated tools in wood cutting, 141

wear of ion-plated hot-working tools, 213
Tribilogy
mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates, 221
tribological behaviour of some alloys after surface modification using ion beam techniques, 479
Tricresyl phosphate
reactions between 52100 steel and tricresyl phosphate neat and mixed with hydrocarbon oil, 235
Tungsten
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
Turning
turning tests of high rate reactively sputter-coated T-15 HSS inserts, 133

Vacuum pumps
cryogenic vacuum pump characteristics in reactive d.c. magnetron sputtering processes, 379
Vanadium
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance, 267

Wear
coatings for friction and wear control at high temperatures, 243
composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses, 469
friction and wear behaviour of thermally sprayed nichrome–WC coatings, 183
knowledge-based expert systems in surface coating and treatment selection for wear reduction, 105
the wear and erosion resistance of hard PVD coatings, 191
wear of ion-plated hot-working tools, 213
Wood cutting
performance of TiN-coated tools in wood cutting, 141

Zirconium
comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings, 117
zirconium nitride films prepared by cathodic arc plasma deposition process, 53

Contents

HARD COATINGS

Hard coating processes

Plasma diagnostic studies of the activated reactive evaporation process 1
C. V. Deshpandey, B. P. O'Brian, H. J. Doerr, R. F. Bunshah (Los Angeles, CA, U.S.A.) and D. Hofmann (Hanau, F.R.G.)

Some fundamental aspects of glow discharges in plasma-assisted processes 17
K. S. Fancey and A. Matthews (Hull, U.K.)

Principles of plasma-activated chemical vapor deposition. 31
A. Inspektor-Koren (Beer-Sheva, Israel)

Extended Abstract: Optical interference effect in the laser chemical vapor deposition of SiC 49
F. Shaapur (Hopewell Junction, NY, U.S.A.) and S. D. Allen (Los Angeles, CA, U.S.A.)

Zirconium nitride films prepared by cathodic arc plasma deposition process 53
P. C. Johnson and H. Randhawa (Boulder, CO, U.S.A.)

Hard coatings of TiN, (TiHf)N and (TiNb)N deposited by random and steered arc evaporation 63
S. Boelens and H. Veltrop (Venlo, The Netherlands)

High rate reactive sputtering process control. 73
W. D. Sproul (Des Plaines, IL, U.S.A.)

Reactive magnetron sputtering of TiN: Analysis of the deposition process 83
J. Danroc, A. Aubert and R. Gillet (Grenoble, France)

Applications of hard coatings

Deposition and properties of multicomponent hard coatings 91
U. König (Essen, F.R.G.)

Knowledge-based expert systems in surface coating and treatment selection for wear reduction 105
C. S. Syan, A. Matthews and K. G. Swift (Hull, U.K.)

Comparison of cutting performance of ion-plated NbN, ZrN, TiN and (Ti,Al)N coatings* 117
J. M. Molarius, A. S. Korhonen, E. Harju (Espoo, Finland) and R. Lappalainen (Helsinki, Finland)

Turning tests of high rate reactively sputter-coated T-15 HSS inserts 133
W. D. Sproul (Des Plaines, IL, U.S.A.)

Performance of TiN-coated tools in wood cutting 141
S. Osenius, A. S. Korhonen and M. S. Sulonen (Espoo, Finland)

Cathode-spot arc coatings: physics, deposition and heating rates, and some examples 153
R. L. Boxman and S. Goldsmith (Tel Aviv, Israel)

*Recipient of the Bunshah award for the best paper in its Symposium.

Effect of crystallographic orientation on erosion characteristics of arc evaporation titanium nitride coating 169
J. A. Sue and H. H. Troue (Indianapolis, IN, U.S.A.)

Hard tribological coatings and modified surfaces

Friction and wear behaviour of thermally sprayed nichrome–WC coatings 183
J. Lira Olivares (Caracas, Venezuela) and I. C. Grigorescu (Los Teques, Venezuela)

The wear and erosion resistance of hard PVD coatings 191
D. S. Rickerby (Didcot, U.K.) and P. J. Burnett (Chester, U.K.)

Wear of ion-plated hot-working tools. 213
U. K. Wiiala, S. O. J. Kivivuori, J. M. Molarius and M. S. Sulonen (Espoo, Finland)

Mechanical strength and tribological behaviour of ion-beam-deposited boron nitride films on non-metallic substrates 221
K. Miyoshi, D. H. Buckley, J. J. Pouch, S. A. Alterovitz and H. E. Sliney (Cleveland, OH, U.S.A.)

TRIBOLOGICAL COATINGS/SURFACE MODIFICATIONS

Reduction of friction through coatings/surface modifications

Reactions between 52100 steel and tricresyl phosphate neat and mixed with hydrocarbon oil 235
F. Arezzo (Little Falls, NJ, U.S.A.) and R. L. Moore (Edison, NJ, U.S.A.)

Extended Abstract: Coatings for friction and wear control at high temperatures . . . 243
H. E. Sliney (Cleveland, OH, U.S.A.)

Erosion/corrosion resistance through coatings/surface modifications

The effect of processing parameters on the microstructure and erosion resistance of $NiCr_3C_2$ coatings 245
J. J. Wert, D. M. Baker and T. M. McKechnie (Nashville, TN, U.S.A.)

Sputter-coating of Ti–6Al–4V with Inconel 617 for erosion resistance. 267
M. Emiliani, M. H. Richman (Providence, RI, U.S.A.), R. Brown and O. Gregory (Kingston, RI, U.S.A.)

Erosion–corrosion of protective scales on alloy steels 285
A. V. Levy and B. Wang (Berkeley, CA, U.S.A.)

Cavitation-erosion resistance of ion plated Cr–TiN multilayer coatings. 301
T. Odohira, T. Wada, R. Ebara and T. Kobayashi (Hiroshima, Japan)

Study of the behaviour in acidic solution of titanium and TiN coatings obtained by cathodic sputtering 309
Y. Massiani, J. Crousier (Marseille, France), L. Fedrizzi, A. Cavalleri and P. L. Bonora (Trento, Italy)

Protective coatings/surface modifications for severe environments

Plasma-sprayed TiC protective coatings for fusion devices: coating fabrication criteria 319
S. Dallaire (Quebec, Canada) and R. G. Saint-Jacques (Quebec, Canada)

The need for microstructural control in coatings exposed to severe environments . . 327
E. L. Courtright (Washington, DC, U.S.A.)

Corrosion resistance of chromium carbide coatings in oxygen–sulfur environments 341
K. Natesan (Argonne, IL, U.S.A.) and R. N. Johnson (Richland, WA, U.S.A.)

CURRENT INDUSTRIAL PRACTICES: INDUSTRIAL EQUIPMENT AND APPLICATIONS

Coating materials and applications technology

Technical Note: Improved universal powder mass flow control for thermal spray applications 353
D. E. Crawmer, R. L. Bartoe and J. Kramer (Columbus, OH, U.S.A.)

Technical Note: Optical properties of reactively evaporated SiO_x films 367
S. Schiller and G. Beister (Dresden, G.D.R.)

Technical Note: Cryogenic vacuum pump characteristics in reactive d.c. magnetron sputtering processes 379
K. A. Taylor, C. T. Wan, G. T. Susi and D. L. Chambers (Hilliard, OH, U.S.A.)

Technical Note: Comparison of film density, stoichiometry, optical and electrical properties of thin metal oxide films produced by reactive d.c. magnetron sputtering and electron beam evaporation techniques 393
B. P. Hichwa and G. Caskey (Holland, MI, U.S.A.)

Technical Note: A gyro spin axis bearing performance using titanium carbide coated balls 401
F. Brown McKee (Woodland Hills, CA, U.S.A.)

Production coating equipment

Invited Paper: Reactive d.c. high-rate sputtering as production technology* 405
S. Schiller, U. Heisig, Chr. Korndörfer G. Beister, J. Reschke, K. Steinfelder and J. Strümpfel (Dresden, G.D.R.)

Technical Note: Design and performance of a moveable post-cathode magnetron sputtering system for making PBFA II accelerator ion sources 425
D. M. Mattox, R. E. Cuthrell, C. R. Peeples and P. L. Dreike (Albuquerque, NM, U.S.A.)

Technical Note: Design of a production-scale process for coating composite structures 433
M H. Headinger and M. J. Purdy (Brecksville, OH, U.S.A.)

Ancillary and support equipment

Technical Note: New computerized shot peening machines improve reliability of dynamically loaded coated parts. 443
J. S. Eckersley and R. Kleppe (Paramus, NJ, U.S.A.)

SURFACE MODIFICATION USING DIRECTED ION BEAMS

Developments in ion-assisted coatings 453
G. Dearnaley (Didcot, U.K.)

Composition, structure and wear resistance of Ti–6Al–4V implanted with carbon or boron to high doses 469
R. N. Bolster, I. L. Singer and R. G. Vardiman (Washington, DC, U.S.A.)

*Recipient of the Bunshah award for the best paper in its Symposium.

Tribological behaviour of some alloys after surface modification using ion beam techniques 479
P. Moine, O. Popoola, J. P. Villain, N. Junqua, S. Pimbert, J. Delafond and J. Grilhe (Poitiers, France)

Surface chemistry and mechanical behaviour of silicon carbide and silicon nitride implanted with titanium to high fluences and high temperatures. 487
I. L. Singer (Washington, DC, U.S.A.)

Effects of ion implantation in cemented carbides and cobalt alloys 501
U. König (Essen, F.R.G.) and G. K. Wolf (Heidelberg, F.R.G.)

Enhanced thermal emittance of space radiators by ion-discharge chamber texturing . 511
M. J. Mirtich and M. Kussmaul (Cleveland, OH, U.S.A.)

AUTHOR INDEX 523

SUBJECT INDEX 525